

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/757,051	01/14/2004	Juergen S. Schoen	584-23131-USD	4819
24923	7590 04/06/2005		EXAMINER	
PAUL S MADAN			FETZNER, TIFFANY A	
MADAN, MOSSMAN & SRIRAM, PC 2603 AUGUSTA, SUITE 700			ART UNIT	PAPER NUMBER
HOUSTON, TX 77057-1130			2859	
			DATE MAILED: 04/06/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/757,051	SCHOEN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Tiffany A. Fetzner	2859				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	66(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nety filed s wiil be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on <u>25 January 2005</u> .						
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		•				
4) Claim(s) 21-38 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>21-23, 25-28,30,32-34,and 37</u> is/are rejected.						
7) Claim(s) <u>24,29,31,35,36 and 38</u> is/are objected 8) Claim(s) are subject to restriction and/or						
o) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Examine	r					
10) $igtimes$ The drawing(s) filed on <u>13 August 2001</u> is/are: a) $igcap$ accepted or b) $igotimes$ objected to by the Examiner.						
Applicant may not request that any objection to the o	<del>-</del> · · ·					
Replacement drawing sheet(s) including the correcti	•					
TI) The batti of declaration is objected to by the Ex	anniner. Note the attached Office	Action of form 1 10-132.				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage</li> </ul>						
application from the International Bureau	•					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	4) Interview Summer	(PTO_413)				
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date</li> </ol>	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:					
S. Datast and Trademark Office						

Art Unit: 2859

#### **DETAILED Second non-final ACTION**

1. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

### **Priority**

2. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

### **Drawings**

- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description:
- A) Figure 1 still does not show component 12, which is taught on page 11 at line 7. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the examiner does not accept the changes, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because
- A) Reference character "26" has been used to designate both a "resistivity array" [See page 11 line 22] and "an imaging assembly" [See page 12 lines 4-5].

Art Unit: 2859

B) Reference character "32" has been used to designate both a "circumferential acoustic televiewer" [See page 12 line 1] and "an imaging assembly" [See page 12 lines 4-5]. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the examiner does not accept the changes, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

- 5. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description:
- A) Components "125" and "137" shown in Figure 4B are not referred to in applicant's disclosure. [See page 21 line 14 through page 23 line 21] The examiner recommends on page 21 line 15, **inserting** "125" after the word "determination".
- page 35 line 21 through page 36 line 2]. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the examiner does not accept the changes, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### Specification

Art Unit: 2859

6. The abstract of the disclosure is objected to because it is to long. The current rules which became effective in March 2001 require that the abstract be no longer than 15 lines of double spaced text, or 150 words. Applicant's abstract is 19 lines long. A new, shorter abstract, on a separate sheet of paper is needed. See MPEP '608.01(b).

- 7. The disclosure is objected to because of the following informalities:
- A) On page 11, line 19 in paragraph [0019] delete "Figure 2" and insert "Figure 2A".
- **B)** On page 16 in line 12 paragraph [0028] the wrong figure is referred to **delete** "Figure 1", and **insert** "Figure 2A".
- C) On page 17, line 1 in paragraph [0030] delete "Figure 4", and insert "Figure 4A".
- **D)** On page 19, line 11 in paragraph [0034] the wrong step is referred to **delete** "111", and **insert** "109".
- E) On page 12, line 18 in paragraph [0020] **insert** "caliper" after "extendable" to ensure proper antecedent basis. All adjectives that describe a component need to be present the first time a component part is referred to. Appropriate correction is required.

# Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless – (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

- 9. Claims 21, 22, 23, 25, 26, and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by the article "The Petrophysics of Electrically Anisotropic Reservoirs; by J.D. Klein, P.R. Martin, and D.F. Alen; from The Log Analyst, May-June 1997, pages 25-36. [Hereafter Klein et al.,]
- 10. With respect to Claim 21, the Klein et al., article teaches "A method of petrophysical evaluation of an earth formation using a logging tool conveyed in a borehole" [See page 36 last paragraph where the techniques are applied only to LWD (logging while drilling "of an earth formation" which requires "using a logging tool conveyed in a borehole in said formation," as the well is being drilled) resistivity data obtained in very highly deviated wells (i.e. (>70 degrees) but teaches that both

Art Unit: 2859

perpendicular and parallel resistivity in vertical wells will be usable in the industry in future developments. See also pages 25 through 36, which explain multiple "methods of petrophysical evaluation of an earth formation using a logging tool conveyed in a borehole in said formation".] The **Klein et al.**, article also teaches that "the method comprises "(a) obtaining values of a horizontal and vertical resistivity of said earth formation using said logging tool;" [See page 25 col. 1 last paragraph through page 35 col. 2 second to last paragraph; equations 1 through 14 which use horizontal and vertical resistivity as parameters; figures 2 through 16] "and (b) determining a horizontal and vertical permeability of said earth formation using said horizontal and vertical resistivities" [See figures 7 through 13, equations 8 through 14 and the teachings of pages 25 thro9ugh 36] "said horizontal and vertical permeabilities having a ratio different from a ratio of said vertical and horizontal resistivities" [See figures 7 through 11 which show the parallel and vertical resistivities and permeabilities with the resistivity ratio plotted out and from the ratio plot it is clear that the resistivity ratio is different than both the horizontal and vertical permeability.

Page 5

- 11. With respect to Claim 22, The Klein et al., article also teaches that "said earth formation comprises a sand component and a shale component." [See figure 16; page 25 col. 2 paragraph 2 where formation laminated sands and shales are taught to vary with fluid saturation. See also the entire text of the article in general and figures 1 through 16 which show plots containing sand or shale components.] The same reasons for rejection, that apply to claim 21 also apply to claim 22 and need not be reiterated.
- 23. With respect to Claim 23, The Klein et al., article also teaches that "determining said horizontal and vertical permeabilities further comprises determining a water content of said formation from said horizontal and vertical resistivities." [See pages 25 through 36; equations 1 though 14, especially page 33 col. 2 through page 35 col. 2 second to last paragraph.] The same reasons for rejection, that apply to claim 21 also apply to claim 23 and need not be reiterated.
- 12. With respect to **Claim 25**, The **Klein et al.**, article also teaches "determining said water content of said formation further comprises: "(i) inverting said values of horizontal and vertical resistivities of the formation" is taught by the reference because conductivity

Art Unit: 2859

is obtained "using a petrophysical model to give a first estimate of fractional volume of laminated shale in the formation;" [See figure 5, and page 29 where conductivity is used to obtain the shale volume of each layer, along with equation 2 which shows the inverse of resistivity, (i.e. conductivity) being used to obtain the volume fraction of a layer of the earth formation on page 26.] Klein et al., article also teaches "(ii) obtaining measurements of density and/or neutron porosity of the formation and using a volumetric model for deriving therefrom a second estimate of fractional volume of laminated shale;" [See equations 4, 5, 6, 7, 8, 10, and 14 and figures 4 through 11, pages 25 through 36.1 "(iii) inverting said horizontal and vertical resistivities using a petrophysical model including said second estimate of fractional shale volume and obtaining therefrom a water content of the formation," is taught by the Klein et al., article because more than one measurement of the fractional shale volume is made. [See the text of pages 25 through 36, equations 1 through 14 and figures 1-16 which explain the various models and measurements in general.] The same reasons for rejection, that apply to claims 21, and 23 also apply to claim 25 and need not be reiterated.

Page 6

- 13. With respect to Claim 26, The Klein et al., article also teaches "determining a vertical and horizontal resistivity of an anisotropic sand component of the formation" [See the entire Klein et al., article], "and determining therefrom and from at least one additional measurement selected from the group consisting of: (i) NMR measurements of the formation, and, (ii) a bulk permeability of the sand component" [See equations 7 through 14 pages 31 through 36 where permeability / bulk permeability ko of a sand component is determined from, "a parameter of interest of a coarse and a fine grain portion of the sand component" [See page 25 col.2; which suggests use with coarse and fine grain sand, page 31 col. 2; page 32, page 33 and page 35 which determine "a bulk permeability of the sand component", and also see page 30 col. 2 last paragraph where coarse grain sand is taught. The same reasons for rejection, that apply to claim 21, also apply to claim 26 and need not be reiterated.
- 14. With respect to **Claim 30**, The **Klein et al.**, article also teaches "determining a parameter of interest **selected from the group consisting of**: (A) a fractional volume

Art Unit: 2859

of said coarse grain component, (B) a fractional volume of said fine grain component, (C) a water saturation of said coarse grain component, (D) a water saturation of said fine grain component, (E) a permeability of said coarse grain component, and, (F) a permeability of said fine grain component." [See pages 25 through 36, where water saturation, fractional volumes, permeability and coarse or even (i.e. fine) sand / shale components / volumes are considered as parameters throughout the reference. Klein et al., considers fine and coarse grains, volume, water saturation, and permeability. [See the entire Klein et al., article for the specific calculations]. The examiner notes that applicant's claim only requires a selection of one of these components, but the reference considers the impact of the multiple components and therefore meets the limitation set forth by this claim. The same reasons for rejection, that apply to claim 21, also apply to claim 30 and need not be reiterated.

### Claim Rejections - 35 USC § 103

- 15. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 16. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 17. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2859

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 18. Claims 27, 28, 32, 33, 34 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over of the article "The Petrophysics of Electrically Anisotropic Reservoirs; by J.D. Klein, P.R. Martin, and D.F. Alen; from The Log Analyst, May-June 1997, pages 25-36. [Hereafter Klein et al.,]
- 19. With respect to Claim 27, the Klein et al., article lacks directly teaching "using a transverse induction logging tool for obtaining said values of horizontal and vertical resistivities of the formation." However, the Klein et al., article does teach use of a LWD tool [See page 36] to perform the methods of the Klein et al., article and It would have been obvious to one of ordinary skill in the art at the time that the invention was made that a conventional logging while drilling device which acquires transverse / perpendicular resistivity as well as parallel longitudinal resistivity is a "transverse" logging induction tool. [See Klein et al., page 25 col. 2 last full paragraph.] The same reasons for rejection, that apply to claim 21 also apply to claim 27 and need not be reiterated.
- 20. With respect to Claim 28, the Klein et al., article lacks directly teaching "using an induction logging tool for obtaining said values of horizontal resistivities and a focused current logging tool for obtaining said values of vertical resistivities" However, the Klein et al., article teaches using a logging while drilling (LWD) induction tool, [See page 36] "for obtaining said values of horizontal resistivities" [See page 36 in the context of the teachings of pages 25 through 36] Additionally, the Klein et al., article also teaches that the LWD logging tool in anisotropic formations depend on the direction of the current and the fluid flow relative to the bedding. [See page 31 col. 2] It would have been obvious to one of ordinary skill in the art at the time that the invention was made that the ability of the tool to control the direction of the current, suggests that the LWD tool is also a focused current logging tool, since maintaining current in a specific direction requires focusing current. The same reasons for rejection, that apply to claim 21 also apply to claim 28 and need not be reiterated.
- 21. With respect to Claim 32, the Klein et al., article lacks directly teaching a

Art Unit: 2859

statement that "the at least one additional measurement comprises a bulk permeability measurement of the anisotropic sand and deriving the parameter of interest further comprises: A) obtaining a family of possible distributions of volume fractions and bulk irreducible water content (BVI) for the coarse and fine sand components; B) determining horizontal, vertical and bulk permeability values associated with said family of possible distributions; and C) selecting from said family of possible distributions the one distribution that has a determined bulk permeability substantially equal to the measured bulk permeability." However, the Klein et al., article shows from figures 4 through 16 the feature of "A) obtaining a family of possible distributions of volume fractions and bulk irreducible water content (BVI) for the coarse and fine sand components;" the Klein et al., article also suggests from equations 1 through 14 and the text of pages 25 through 36 the limitation of "B) determining horizontal, vertical and bulk permeability values associated with said family of possible distributions;". Additionally, It would have been obvious to one of ordinary skill in the art at the time that the invention was made that based on the predicted permeability figures 12 and 13 of page 34, that the Klein et al., article also suggests the feature of "C) selecting from said family of possible distributions the one distribution that has a determined bulk permeability substantially equal to the measured bulk permeability." Therefore, even though these steps are not explicitly stated by the reference they are suggested by what is taught and shown within the Klein et al., article. The same reasons for rejection, that apply to claims 21 and 26 also apply to **claim 32** and need not be reiterated.

Page 9

22. With respect to Claim 33, the Klein et al., article teaches that "said bulk permeability" (i.e. ko) "is obtained from the group consisting of (II) a formation testing instrument" (i.e. the Logging while drilling device of page 36), and suggests either limitation "(III) a pressure buildup test, and, (IV) a pressure drawdown test" from the capillary pressure data of figure 1 and pages 25 through 27, therefore the Klein et al., article teaches "said bulk permeability is obtained from the group consisting of (1) NMR diffusion measurements, (II) a formation testing instrument, (III) a pressure buildup test, and, (IV) a pressure drawdown test." The same reasons for rejection, and obviousness that apply to claims 21, 26 and 32 also apply to claim 33 and need not be reiterated.

Page 10

Art Unit: 2859

23. With respect to Claim 34, the Klein et al., article suggests from equation 7 on page 31, "that determining the horizontal and vertical permeability values associated with said family of distributions for the coarse and fine sand components further comprises using the Coates-Timur equation: K'[(φ/C)^a] \* [(φ-BVI)/BVI]^b where K is a permeability, φ is a porosity, BVI is the bound volume irreducible, and a, b, and C are fitting parameters." [See Klein et al., equation 7 on page 31 which is considered to be the same mathematically equivalent equation, as the equation claimed by applicant, and the entire Klein et al., article, pages 25-36, and Figures 1-16 in general] The same reasons for rejection, and obviousness, that apply to claims 21, 26, and 32 also apply to claim 34 and need not be reiterated.

- 24. With respect to Claim 37, the Klein et al., article teaches and suggests that "the coarse sand portion of the selected distribution is characterized by an irreducible water saturation less than an irreducible water saturation of the fine grain sand portion of the selected distribution. [See page 25 col. 2, page 26, page 27, page 33, page 34 and page 35.] The same reasons for rejection, and obviousness, that apply to claims 21, 26, and 32 also apply to claim 37 and need not be reiterated.
- 25. Claims 27, 28 are also rejected under 35 U.S.C. 103(a) as being unpatentable over the article "The Petrophysics of Electrically Anisotropic Reservoirs; by J.D. Klein, P.R. Martin, and D.F. Alen; from The Log Analyst, May-June 1997, pages 25-36. [Hereafter Klein et al.,]; in further view of Hagiwara US patent 5,966,013 issued October 12th 1999; filed June 12th 1996.
- 26. With respect to Claim 27, Klein et al., lacks directly teaching "using a transverse induction logging tool for obtaining said values of horizontal and vertical resistivities of the formation". However, Hagiwara teaches obtaining values of horizontal and vertical resistivities with a transverse induction-logging tool. [See col. 3 lines 16-20; col. 5 line 60 through col. 6 line 37 where two different logging induction tools are taught; and col. 10 lines 40-47 which teaches determining vertical and horizontal resistivities with induction measurements with an anisotropy response factor.] The teachings of Hagiwara can be combined with the teachings of Klein et al., because Hagiwara considers formation anisotropy and provides the same supportive feature of vertical and

Art Unit: 2859

horizontal resistivities as taught by **Klein et al**. The **Klein et al**., reference lacks teaching the specific types of tools used to make the resistivity measurements, **Klein et al**., simply specifies that the measurements are made by a logging while drilling device [See page 36], however, the **Hagiwara** reference is combined with **Klein et al**., reference to show that the use of induction LWD well-logging tools for this measurement is well-known. Therefore, the same reasons for rejection, that apply to **claim 21** also apply to **claim 27**.

Page 11

27. With respect to Claim 28, Klein et al., lacks directly teaching a specific statement of "using an induction logging tool for obtaining said values of horizontal resistivities and a focused current logging tool for obtaining said values of vertical resistivities", however Hagiwara teaches and suggests this limitation. [See col. 3 lines 16-20; col. 5 line 60 through col. 6 line 37 where two different logging induction tools are taught; col. 10 lines 40-47 and the entire reference in general.] The teachings of Hagiwara can be combined with the teachings of Klein et al., because Hagiwara considers formation anisotropy and provides the same supportive feature of vertical and horizontal resistivities as taught by Klein et al. The Klein et al., reference lacks teaching the specific types of tools used to make the resistivity measurements, Klein et al., simply specifies that the measurements are made by a logging while drilling device [See page 36], however, the Hagiwara reference is combined with Klein et al., reference to show that the use of induction LWD well-logging tools for this measurement is well-known. Therefore, the same reasons for rejection, that apply to claim 21 also apply to claim 27.

## Allowable Subject Matter

28. Claims 24, 29, 31, 35, 36, and 38 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. The prior art of record does not teach the combination of claims 21, 23 with the combinational limitation including the step of "determining said horizontal and vertical permeabilities further comprises determining an estimate of bulk irreducible water content of the formation from NMR measurements" (i.e. claim 24), or the step of "using said volumetric model

Art Unit: 2859

further comprises using at least one of: (i) the Thomas-Stieber model, and, (ii) the Waxman-Smits model" in combination with all of the other claim features of claim 25 from which claim 29 depends.

- 29. The **prior art of record** also does not teach the combination of **claim 31**, (i.e. "the method of **claim 26** wherein the at least one additional measurement comprises an NMR measurement, and deriving the parameter of interest further comprises deriving a distribution of relaxation times from said NMR measurements and obtaining therefrom a distribution of components of said anisotropic sand") in combination with all of the other claim features of **claim 26** from which **claim 31** depends. Additionally, the **prior art of record** also does not teach the combination of **claim 35**, (i.e. "determining horizontal, vertical and bulk permeability values further comprises using a relationship of the form **K ' Cφ^a T^b** where **K** is a permeability, **φ** is a porosity and **T** is a NMR relaxation time, and **a, b**, and **C** are fitting parameters"), in combination with all of the other claim features of **claims 32**, **26**, and **21** from which **claim 29** depends; or **claim 36**, (i.e., the method of **claim 35** wherein T is a longitudinal NMR relaxation time) which necessarily depends from **claim 35** and requires the NMR measurement in combination with each of the other features of **claims 35**, **32**, **26**, and **21** from which **claim 36** depends.
- 30. Lastly, with respect to **Claim 38**, the **prior art of record** also does not teach the combination of **claim 38**, (i.e. that "the determined bulk permeability is a spherical permeability related to the horizontal and vertical permeability values by a relationship of the form Ksph'[(Kh^2 Kv)^(1/3)]."

#### Prior Art of Record

- 31. The **prior art made of record** and not relied upon is considered pertinent to applicant's disclosure.
- **A)** Day et al., US patent 6,255,819 B1 issued July 3rd 2001, filed October 25th 1999.
- B) Tutunji et al., US patent 6,337,568 B1 issued January 2002, filed April 7th 2000, the Tutunji et al., patent is a continuation in part of Day et al., US patent 6,255,819 B1.
- C) Freedman et al., US patent 6,032,101 issued February 29th 2000.

Page 13

- **D)** Schoen et al., US patent 6,686,736 B2 issued Feb. 3<sup>rd</sup> 2004 which is the issued patent of applicant's parent application, and therefore not available as prior art against the claims of the instant application.
- **E)** Schoen et al., US patent application publication 2001/0101235 A1 published August 1<sup>st</sup> 2002 which corresponds to the originally filed US application which became US patent 6,686,736 B2 issued Feb. 3<sup>rd</sup> 2004,the issued patent of applicant's parent application, that is not available as prior art against the claims of the instant application.
- **F)** Schoen et al., US patent application publication 2004/0140801 A1 published July 22<sup>nd</sup> 2004, which corresponds to applicant's instant application, and is therefore not available as prior art against the claims of the instant application.
- G) Vinegar et al., US patent 4,719,423 issued January 12th 1988
- H) Runge US patent 3,479,581 issued November 18<sup>th</sup> 1969.

### Conclusion

- 32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tiffany Fetzner whose telephone number is: (571) 272-2241. The examiner can normally be reached on Monday-Thursday from 7:00am to 4:30pm., and on alternate Friday's from 7:00am to 3:30pm.
- 33. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez, can be reached at (571) 272-2245. The **only official fax phone number** for the organization where this application or proceeding is assigned is (703) 872-9306.

TAF

April 4, 2005

Diego Gutierrez

Supervisory Patent Examiner Technology Center 2800

CHRISTOPHER W. FULTON PRIMARY EXAMINER